

## Message structure:

OTC request - onDemandTerminationAcceptance  
(otcd.rqi.001.01)

Description:  
OTC request - onDemandTerminationAcceptance

Structure:

No.	or	XML Tag	Name	Multiplicity	Type
1		<a href="#">KDPWDocument</a>	KDPW system message	[1..1]	<a href="#">KDPWDocument</a>
1.1		<a href="#">otcd.rqi.001.01</a>	OTC request - onDemandTerminationAcceptance	[1..n]	<a href="#">otcd.rqi.001.01</a>
1.1.1		<a href="#">GnlInf</a>	General information	[1..1]	<a href="#">GeneralInformation</a>
1.1.1.1		<a href="#">SndrMsgRef</a>	Sender message identifier	[1..1]	<a href="#">Max16Text</a>
1.1.1.2		<a href="#">FuncOfMsg</a>	Function of message	[1..1]	<a href="#">FunctionOfMessage</a>
1.1.1.3		<a href="#">ProcessId</a>		[1..1]	<a href="#">Max140Text</a>
1.1.1.4		<a href="#">CreDtTm</a>	Message creation date	[0..1]	<a href="#">DateAndDateTimeChoice</a>
1.1.1.4.1	{ lub	<a href="#">Dt</a>	Date	[1..1]	<a href="#">ISODate</a>
1.1.1.4.2	lub }	<a href="#">DtTm</a>	Date and time	[1..1]	<a href="#">ISODateTime</a>
1.1.2		<a href="#">MsgData</a>	OTC instruction details	[0..1]	<a href="#">MsgData</a>
1.1.2.1		<a href="#">content</a>		[1..1]	<a href="#">onDemandTerminationAcceptance</a>
1.1.2.1.1		<a href="#">accept</a>	true if the Participant accepts the winning bid sent in the OnDemandTerminationResult	[1..1]	<a href="#">xs:boolean</a>

## Message component elements:

### KDPWDocument - KDPW system message (element)

Description KDPW system message  
Type [KDPWDocument](#)  
Attributes

### GnlInf - General information (element)

Description General information  
Type [GeneralInformation](#)  
Attributes

### MsgData - OTC instruction details (element)

Description OTC instruction details  
Type [MsgData](#)  
Attributes minOccurs=0

### otcd.rqi.001.01 - OTC request - onDemandTerminationAcceptance (element)

Description OTC request - onDemandTerminationAcceptance  
Type [otcd.rqi.001.01](#)  
Attributes maxOccurs=unbounded

### SndrMsgRef - Sender message identifier (element)

Description Sender message identifier  
Type [Max16Text](#)  
Attributes

## FuncOfMsg - Function of message (element)

Description Function of message  
Type [FunctionOfMessage](#)  
Attributes

## ProcessId - (element)

Description  
Type [Max140Text](#)  
Attributes

## CreDtTm - Message creation date (element)

Description Message creation date  
Type [DateAndDateTimeChoice](#)  
Attributes minOccurs=0

## Dt - Date (element)

Description Date  
Type [ISODate](#)  
Attributes

## DtTm - Date and time (element)

Description Date and time  
Type [ISODateTime](#)  
Attributes

## content - (element)

Description  
Type [onDemandTerminationAcceptance](#)  
Attributes

## accept - (element)

Description true if the Participant accepts the winning bid sent in the OnDemandTerminationResult  
Type [xs:boolean](#)  
Attributes

## Code4Text - Qualifier, code (simple type)

Description Qualifier, code  
Type Derivative of type: xs:string  
Format Min.=4  
Max.=4

### **FunctionOfMessage - Function of message (simple type)**

**Description** Function of message  
**Type** Derivative of type: xs:string  
**Format**

### **ISODate - Date (simple type)**

**Description** Date  
**Type** Derivative of type: xs:date  
**Format**

### **ISODatetime - Date and time (simple type)**

**Description** Date and time  
**Type** Derivative of type: xs:dateTime  
**Format**

### **KDPWMemberIdentifier - KDPW member identifier (simple type)**

**Description** KDPW member identifier  
**Type** Derivative of type: xs:string  
**Format** Min.=4  
Max.=4

### **Max16Text - Maximum 16 characters text (simple type)**

**Description** Maximum 16 characters text  
**Type** Derivative of type: xs:string  
**Format** Min.=1  
Max.=16

### **Max140Text - (simple type)**

**Description**  
**Type** Derivative of type: xs:string  
**Format** Min.=1  
Max.=140

### **otcd.rqi.001.01 - OTC instruction (complex type)**

**Description** OTC instruction  
**Component elements** [GnlInf](#)  
[MsgData](#)

### **KDPWDocument - KDPW system message (complex type)**

**Description** KDPW system message  
**Component elements** [otcd.rqi.001.01](#)

## **GeneralInformation - General information (complex type)**

**Description** General information  
**Component elements** [SndrMsgRef](#)  
[FuncOfMsg](#)  
[ProcessId](#)  
[CreDtTm](#)

## **DateAndDateTimeChoice - Date and time (complex type)**

**Description** Date and time  
**Component elements** [Dt](#)  
[DtTm](#)

## **MsgData - OTC market processing notification (complex type)**

**Description** OTC market processing notification  
**Component elements** [content](#)

## **onDemandTerminationAcceptance - The On Demand Termination Acceptance message indicates to the Clearing House the acceptance or rejection of the winning bid from the Auction. (complex type)**

**Description** The On Demand Termination Acceptance message indicates to the Clearing House the acceptance or rejection of the winning bid from the Auction.  
**Component elements** [accept](#)

## **kasmType - (complex type)**

**Description**  
**Component elements**