

otcd.ntf.001.01.auctionDetail, otcd.ntf.001.01.auctionResult

```
<xs:complexType name="repo">
```

```
  ...  
  <xs:element name="volume" type="xs:int" minOccurs="0"/>
```

Komentarz [d1]: Było: double

```
  ...  
</xs:complexType>
```

otcd.rsi.001.01.accountMaintenanceResponse.xsd

```
<xs:complexType name="Content">
```

```
  <xs:sequence>  
    <xs:element name="contents" type="contents"/>
```

Komentarz [d2]: Było: content

```
  </xs:sequence>  
</xs:complexType>
```

```
<xs:complexType name="contents">
```

```
  <xs:sequence>  
    <xs:element name="content" type="accountMaintenanceResponse" maxOccurs="unbounded"/>
```

Komentarz [d3]: Było: content

```
  </xs:sequence>
```

```
</xs:complexType>
```

otcd.rsi.001.01.onDemandTerminationResponse.xsd

```
<xs:complexType name="Content">
```

```
  <xs:sequence>  
    <xs:element name="contents" type="contents" minOccurs="0"/>
```

Komentarz [d4]: Było: content

```
  </xs:sequence>  
</xs:complexType>
```

```
<xs:complexType name="contents">
```

```
  <xs:sequence>  
    <xs:element name="content" type="onDemandTerminationResponse"  
      maxOccurs="unbounded"/>
```

Komentarz [d5]: Było: content

```
  </xs:sequence>
```

```
</xs:complexType>
```

otcd.rsi.001.01.participantNotification.xsd

```
<xs:complexType name="Content">
```

```
  <xs:sequence>  
    <xs:element name="contents" type="contents"/>
```

Komentarz [d6]: Było: content

```
  </xs:sequence>  
</xs:complexType>
```

```
<xs:complexType name="contents">
```

```
  <xs:sequence>  
    <xs:element name="content" type="participantNotification" maxOccurs="unbounded"/>
```

Komentarz [d7]: Było: content

```
  </xs:sequence>
```

```
</xs:complexType>
```